






Environmentally friendly
Counteract Balancing
Beads automatically
balance the complete
wheel assembly for the
life of the tire. Scientifically
proven to improve fuel
economy, decrease tire wear

and virtually eliminate vibration, Counteract Balancing Beads are the faster, smarter and most economical

choice to balance wheels.

Counteract Balancing Beads come prepackaged in color coded bags. Vehicle applications range from 1/2 ton suspension and up.

Visit www.howmuchcounteract.com to determine what size bag is needed for your application. Or visit your app store to download the Counteract Balancing Application Calculator App.



Proven to Save Fuel

Counteract is the only tire and complete wheel assembly balancing technology proven to improve fuel economy in two separate

SAE and TMC type II fuel tests.



Installation:

#CBB-IP-LG

Throw in Method; Simply tear open

Simply tear open the outside bag and inside there is an inner bag containing Counteract Balancing Beads. Simply throw that inner bag inside the tire, the bag will break open and the Counteract will be distributed throughout the tire.

*The Throw in bag application is only recommended for 4oz

and up. For smaller applications you must cut the bag and pour the product into the tire while it is being mounted, or inject it through the valve stem.

Alternatively any size
Counteract can easily be
injected using the Counteract
Injection Pump.

Follow instructions included.





The Reiffen Innovation Award Winning Stud Cleaning Tool



SBCT13

SBCT 13 is a stud cleaning tool designed for use on smaller/automotive applications.

Fits brush sizes SBR12, SBR13, SBR14, SBR16



SBCT 22 is a stud cleaning tool designed for use in larger commercial truck applications.

Fits brush sizes SBR18, SBR20, SBR22

SBCT28

SBCT 28 is a stud cleaning tool designed for use only on 28mm applications (bud wheels).

Fits brush sizes SBR28

SBCT28-HD

SBCT 28-HD is a stud cleaning tool designed for use on large OTR applications.

Fits brush sizes

SBR28-HD, SBR30, SBR31, SBR32, SBR33, SBR34, SBR39.6

Stud Cleaning Kits

STK-1322

Contains everything you need to clean stud sizes 12-22mm SBCT22 (preloaded with SBR22) SBCT13 (preloaded with SBR13) Replacement brushes in sizes, SBR12, SBR13, SBR14, SBR16, SBR18, SBR20 and SBR22. Also includes safety goggles, 1/2" drive adapter and hex key.



CBB-LSAD

Low Speed Air Driver - Non Impact Features, low speed (1800rpm), low torque comfort grip and variable speed.

Designed to be used with the CBB Stud Cleaning tool and Nut Track




SBCK-AD
Contains one
CBB-LSAD,
SBCT22 (preloaded
with SBR22) Replacement
brushes in sizes,
SBR18, and SBR20
Also includes safety

goggles, 1/2" drive adapter and hex key.

Visit www.studbrush.com for more information and to view the stud cleaning tool video.






Safety Note: Your studs and wheel nuts must be cleaned regularly to achieve the proper clamping force and ensure proper torque.

Visit www.counteractbalancing.com to see videos of the Nut Track in use.

...Accessories

The Counteract Vortex Valve Core. TPMS Compatible





VCCs Counteract chrome plated copper valve caps. TPMS Compatible. Counteract branded VCC, Black -VCCBK, Green - VCCG, Blue -

VCCB, and Red - VCCR

WWRC Counteract Wheel Weight Remover





VCRC The Counteract Valve Core Remover.

Ask about minimum order quantities. More Products coming soon!





Balancing the wheels of transportation

70 Watson Parkway South Unit 8 Guelph ON N1L0C3 tel. 519.837.3331 toll free 800.572.8952

www.counteractbalancing.com

The Counteract Application Calculator App







Online version available at www.howmuchcounteract.com

To locate a dealer near you

www.findcbb.com